

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2010 question paper  
for the guidance of teachers**

**0580 MATHEMATICS**

**0580/42**

Paper 42 (Extended), maximum raw mark 130

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2010 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



<b>Page 2</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0580</b>	<b>42</b>

### Abbreviations

cao	correct answer only
cso	correct solution only
dep	dependent
ft	follow through after error
isw	ignore subsequent working
oe	or equivalent
SC	Special Case
www	without wrong working

Qu.	Answers	Mark	Part Marks
<b>1 (a)</b>	$240 \div 8 \times 3$ or $240 \div 8 \times 5$ or $\frac{3}{8}$ of 240 or $\frac{5}{8}$ of 240 oe	1	Accept reverse e.g. $90 : 150 = 3 : 5$ <b>and</b> $90 + 150 = 240$
<b>(b) (i)</b>	5 www 2	2	<b>M1</b> for $\frac{100 \times 9}{90 \times 2}$ oe
<b>(ii)</b>	165 www 2	2	<b>M1</b> for $99 \div 0.6$ oe
<b>(c)</b>	162.24 final answer cao	2	<b>M1</b> for $150 \times 1.04 \times 1.04$ oe implied by answer 162.2
<b>(d) (i)</b>	58.67 final answer cao	3	<b>SC2</b> for 58.7 <b>or</b> <b>M1</b> for $\frac{150 \times 4 \times 20}{100}$ oe (120) <b>then M1</b> (dependent on the first M1) $328.67 - 150 - \text{their } 120$ oe Answers of 208.67 or 208.7 imply first M1
<b>(ii)</b>	219 (.1....) www 2	2	<b>M1</b> for $\frac{328.67}{150} \times 100$ oe
<b>2 (a) (i)</b>	$\begin{pmatrix} 15 \\ 8 \end{pmatrix}$	2	<b>B1</b> each component
<b>(ii)</b>	17 www 2	2ft	<b>ft</b> their 15 and their 8. <b>M1</b> for $(\text{their } 15)^2 + (\text{their } 8)^2$
<b>(b) (i)</b>	$\frac{1}{2}\mathbf{v} - \frac{1}{2}\mathbf{c}$ <b>or</b> $\frac{1}{2}(\mathbf{v} - \mathbf{c})$ cao	2	<b>M1</b> for $\frac{1}{2}\overrightarrow{CV}$ soi
<b>(ii)</b>	$\frac{1}{2}\mathbf{c} + \frac{1}{2}\mathbf{v}$ again allowing brackets cao	2	<b>M1</b> for $\overrightarrow{OM}$ e.g. $\overrightarrow{OC} + \overrightarrow{CM}$ or better seen or $\mathbf{v} - \text{their (i)}$ or $\mathbf{c} + \text{their (i)}$
<b>(iii)</b>	$\frac{1}{6}\mathbf{v} - \frac{1}{2}\mathbf{c}$ again allowing brackets cao	2	<b>M1</b> for any correct route e.g. $\overrightarrow{MV} + \overrightarrow{VL}$ or their <b>(i)</b> $-\frac{1}{3}\mathbf{v}$ or $\frac{2}{3}\mathbf{v} - \text{their (b)(ii)}$

Page 3	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0580	42

<b>3</b>			<p><b>Throughout this question isw any cancelling or changing to other forms, after correct answer seen. Penalty of –1 for 2 sf decimals or percentages. Do not accept ratio or worded forms.</b></p>
<b>(a) (i)</b>	$\frac{4}{6}$ oe (0.667)	1	Allow 0.6666 – 0.6667
<b>(ii)</b>	$\frac{3}{6}$ oe	1	
<b>(iii)</b>	$\frac{2}{6}$ oe (0.333)	1	Allow 0.3333...
<b>(iv)</b>	$\frac{5}{6}$ oe (0.833)	1	Allow 0.8333...
<b>(b) (i)</b>	$\frac{1}{36}$ oe (0.0278)	2	Allow 0.02777 – 0.02778, <b>M1</b> for $\frac{1}{6} \times \frac{1}{6}$
<b>(ii)</b>	$\frac{6}{36}$ oe (0.167)      www 2	2	Allow 0.1666 – 0.1667, <b>M1</b> for $\frac{3}{6} \times \frac{1}{6} \times 2$ oe
<b>(c) (i)</b>	$\frac{1}{4}$ oe	1	
<b>(ii)</b>	$\frac{1}{2}$ oe	1	
<b>(d)</b>	5 (but <b>not</b> from rounding)	2	<b>M1</b> for repeating $\times \frac{4}{6}$ oe e.g. $\left(\frac{2}{3}\right)^n$
<b>4 (a) (i)</b>	Triangle with vertices (–4, 4), (–1, 4), (–1, 6)	2	<b>SC1</b> for translation $\begin{pmatrix} -7 \\ k \end{pmatrix}$ or $\begin{pmatrix} k \\ 3 \end{pmatrix}$
<b>(ii)</b>	Triangle with vertices (1, –3), (1, –6), (3, –6)	2	<b>SC1</b> two correct vertices or 90° anticlockwise about (0, 0)
<b>(b) (i)</b>	Reflection only $y = -x$ oe	1 1	Marks independent but must be single transformation to score any marks
<b>(ii)</b>	Stretch only $x$ -axis oe invariant (factor) 3	1 1 1	Marks independent but must be single transformation to score any marks

Page 4	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0580	42

(c) (i)	$\begin{pmatrix} 0 & -1 \\ -1 & 0 \end{pmatrix}$	2	<b>B1</b> each column
(ii)	$\begin{pmatrix} 1 & 0 \\ 0 & 3 \end{pmatrix}$ ft	2ft	<b>ft</b> factor in <b>(b)(ii)</b> only if stretch and can recover to correct matrix <b>SC1ft</b> for right-hand column
(iii)	$\begin{pmatrix} 1 & 0 \\ 0 & \frac{1}{3} \end{pmatrix}$ ft	1ft	ft $\begin{pmatrix} 1 & 0 \\ 0 & n \end{pmatrix}$ to $\begin{pmatrix} 1 & 0 \\ 0 & \frac{1}{n} \end{pmatrix}$ or $\begin{pmatrix} n & 0 \\ 0 & 1 \end{pmatrix}$ to $\begin{pmatrix} \frac{1}{n} & 0 \\ 0 & 1 \end{pmatrix}$ $n \neq 0, \pm 1$ for $\frac{1}{3}$ , allow 0.33 or better
5 (a)	$(\cos) \frac{180^2 + 115^2 - 90^2}{2 \times 180 \times 115}$ 24.98 – 24.99	M2 A2	<b>M1</b> for correct implicit expression $90^2 = \dots\dots$ <b>A1</b> for $(\cos) = 0.9064\dots$
(b) (i)	125(.0....) ft	1ft	<b>ft</b> 150 – their (a)
(ii)	305(.0....) ft	1ft	<b>ft</b> 180 + their (b)(i)
(c)	180sin (54.98 to 55) or 180cos (35 to 35.02) oe or 180sin (360 – their (b)(ii)) or 180cos(their (b)(i) – 90) oe  147(.4....) cao                      www 3	M2 A1	<b>B1</b> for 54.98 to 55 or 35 to 35.02 soi in correct position. Provided either angle is acute
(d)	$\frac{90 \sin 30}{\sin 70}$  47.9 (47.88 – 47.89) cao      www 3	M2 A1	<b>M1</b> for $\frac{TR}{\sin 30} = \frac{90}{\sin 70}$ or other correct implicit equation
(e)	2 000 000 oe	2	Allow 1 : 2 000 000 as answer. <b>SC1</b> figs 2 in answer which could be a ratio.
6 (a)	$\frac{4}{3} \pi \times 2.4^3$ 57.87 – 57.92 to at least 4 figures	M1 A1	<b>Must see method</b>
(b) (i)	14.4, 9.6, 4.8	1, 1, 1	Any order
(ii)	664 (663.5 – 663.6) ft	1ft	
(iii)	315 or 316 or 317 (315.2 – 316.8) ft	1ft	<b>ft</b> their (b)(ii) – $6 \times '57.9'$ (only if positive)
(iv)	507 (506.8 – 506.9) ft	2ft	<b>M1</b> for $(14.4 \times 9.6 + 14.4 \times 4.8 + 9.6 \times 4.8) \times 2$ or their 3 lengths.

<b>Page 5</b>	<b>Mark Scheme: Teachers' version</b>	<b>Syllabus</b>	<b>Paper</b>
	<b>IGCSE – May/June 2010</b>	<b>0580</b>	<b>42</b>

<b>(c) (i)</b>	Height seen or implied as $6 \times 4.8$ or better $\pi \times 2.4^2 \times$ their height 521 (520.8 – 521.3) www 3	M1 M1 A1	Indep  <b>ft</b> their <b>(c)(i)</b> – $6 \times '57.9'$ only if positive  <b>M1</b> for $2 \times \pi \times 2.4^2$ (36.17 to 36.2), <b>and M1 indep</b> for $\pi \times 4.8 \times$ their height from <b>(c)(i)</b>
	<b>(ii)</b> 174 or 173 (173.2 – 174.1) ft	1ft	
	<b>(iii)</b> 470 – 471 cao                      www 3	3	
<b>7 (a)</b>	$12 \times 2.5 + 15 \times 7.5 + 23 \times 12.5 + 30 \times 17.5 + 40 \times 22.5 + 35 \times 27.5 + 25 \times 32.5 + 20 \times 37.5$  $\div 200$ 21.9 www 4	M1 M1  M1 A1	mid-values any three soi Use of $\Sigma fx$ dep on $x$ anywhere in each interval (including lower bound) – allow 2 slips or omissions  Depend on second M
<b>(b)</b>	155, 180	1	
<b>(c)</b>	8 points plotted ft, ignoring (0, 0) Reasonable <u>increasing</u> curve or polygon through their 8 points	P3ft C1ft	<b>P2ft</b> for 6 or 7 plotted, <b>P1ft</b> for 4 or 5 plotted Condone starting at (5, 12) and ft only if shape correct.
<b>(d)</b>	<b>Either</b> horizontal or vertical line at least 1 cm long at $y = 50$ on the curve	1	
<b>(e) (i)</b>	22 – 23	1	
<b>(ii)</b>	13.5 – 14.5	1	
<b>(iii)</b>	25.5 – 26.5	1	
<b>(iv)</b>	136 – 140 must be integer	2	<b>SC1</b> for 60 – 64 seen and must be integer
<b>8 (a)</b>	$(p + q)^2 - 5$ oe final answer	2	<b>SC1</b> for $(p + q)^2$ oe seen
<b>(b)</b>	$6x + 9(x - 3) = 51$ or better  5.2(0) final answer	B3  B1	<b>B2 for</b> $6x + 9(x - 3)$ or <b>B1</b> for $6x$ or $9(x - 3)$ 5.2(0) ww is <b>B1</b> only
<b>(c)</b>	$a + c = 52$ oe $3a + 2c = 139$ oe  Correctly eliminating $a$ or $c$ . 35 17	B1 B1  M1 A1 A1	Condone consistent use of other variables or <b>M3</b> for $3a + 2(52 - a) = 139$ or $3(52 - c) + 2c = 139$ o.e. Allow one numerical slip. If A0, <b>SC1</b> for 17, 35

Page 6	Mark Scheme: Teachers' version	Syllabus	Paper
	IGCSE – May/June 2010	0580	42

<b>9 (a) (i)</b>	Similar	1	Allow enlargement
<b>(ii)</b>	4.5	2	<b>M1</b> for $\frac{AX}{3} = \frac{9}{6}$ oe
<b>(iii)</b>	13.5 cao	2	<b>M1</b> for $\left(\frac{3}{2}\right)^2$ or $\left(\frac{2}{3}\right)^2$ oe e.g. using base and height but other methods must be complete
<b>(iv)</b>	$180 - x - y$ oe $180 - x$ oe	B1 B1	
<b>(b) (i)</b>	96	1	
<b>(ii)</b>	48 ft	1ft	<b>ft</b> 0.5 their <b>(b)(i)</b>
<b>(iii)</b>	97 ft	1ft	<b>ft</b> 145 – their <b>(b)(ii)</b>
<b>(iv)</b>	35	1	
<b>(c)</b>	$20n = 360$ oe or $\frac{180(n-2)}{n} = 160$ oe or $180(n-2) = 8 \times 360$ oe or $8\left(\frac{360}{n}\right) = 180 - \frac{360}{n}$	M2	<b>M1</b> for $9e = 180$ oe allow diagram to show this if reasonably clear <b>or M1</b> for $8 \times 360$ or $\frac{8 \times 360}{n}$
	18 www 3	A1	
<b>10 (a)</b>	Pentagon Octagon 20	1 1, 1	
<b>(b)(i)</b>	35	1	
<b>(ii)</b>	54	1	
<b>(c)(i)</b>	$p = 2, q = 3$	3	<b>M1</b> for substituting a value of $n$ e.g. $\frac{1}{p}4(4-q) = 2 \quad n \geq 3$ <b>or M1</b> for number of diagonals from one vertex is $n - 3$ (allow in words) <b>and B1</b> for one correct value. If 0, SC1 for $\frac{n}{2}(n-3)$ seen.
<b>(ii)</b>	4850 ft	1ft	<b>ft</b> their <b>(c)(i)</b> allow only if <b>ft</b> calculates to a positive integer.
<b>(iii)</b>	20 cao	2	<b>SC1</b> for answer of 17 or <b>M1</b> for their formula = 170
<b>(d)</b>	31 cao	1	